Safety Data Sheet 1907/2006/EC - REACH (GB) P-Rohrgewindedichtung 676 - 576 Article number MRG.676.576 Marston Domsel GmbH

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

Version 05. Supersedes version: 04

SECTION 1: Identification of the substance/mixture and of the company/undertaking Product identifier 1 1 MD-Rohrgewindedichtung 676 - 576 Article number: MRG.676.576 1.2 Relevant identified uses of the substance or mixture and uses advised against 1.2.1 Relevant uses Adhesive Sealing material 1.2.2 Uses advised against None known. 1.3 Details of the supplier of the safety data sheet Company Marston Domsel GmbH Bergheimer Str. 15 53909 Zülpich / GERMANY Phone +49 (0) 22 52 94 15 0 Fax +49 (0) 22 52 17 44 Homepage www.marston-domsel.de E-mail info@marston-domsel.de Address enquiries to **Technical information** info@marston-domsel.de Safety Data Sheet sdb@chemiebuero.de 1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (english) SECTION 2: Hazards identification Classification of the substance or mixture [REGULATION (EC) No 1272/2008] 2.1 Eye Irrit. 2: H319 Causes serious eye irritation. Skin Sens. 1: H317 May cause an allergic skin reaction. STOT SE 3: H335 May cause respiratory irritation. 2.2 Label elements The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). Hazard pictograms Signal word WARNING Contains: Methacrylic acid, monoester with Propan-1,2-diole 2,2'-Ethylenedioxydiethyl dimethacrylate Cumene hydroperoxide 2'-Phenylacetohydrazide Hazard statements H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/national regulation.

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

Version 05. Supersedes version: 04 Pa

2.3 Other hazards

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

SE(

The product is a mixture.

Range [%	Range [%] Substance		
20 - 40	0 - 40 Methacrylic acid, monoester with Propan-1,2-diole		
	CAS: 27813-02-1, EINECS/ELINCS: 248-666-3, Reg-No.: 01-2119490226-37-XXXX		
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317		
10 - 25	10 - 25 2,2'-Ethylenedioxydiethyl dimethacrylate		
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6, Reg-No.: 01-2119969287-21		
	GHS/CLP: Skin Sens. 1: H317		
≤ 2	Cumene hydroperox	ride	
	CAS: 80-15-9, EINE	CS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8	
		ox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. Chronic 2: H411 - STOT SE 3: H335	
≤ 0,1	2'-Phenylacetohydra	azide	
	CAS: 114-83-0, EIN	ECS/ELINCS: 204-055-3	
	GHS/CLP: Acute To	x. 3: H301 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - STOT SE 3: H335	
0,01 - < 0,05	1,4-Dihydroxybenze	ne	
CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4			
GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1B: H317 - Muta. 2: H341 - Carc. 2: H351 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M = 10			
		Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	
CTION 4: First aid	measures		
Description of f	irst aid measures		
General information		Change soaked clothing.	
Inhalation		Ensure supply of fresh air.	
Skin contact		In case of contact with skin wash off immediately with plenty of water. Consult a doctor if skin irritation persists.	
Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Ingestion		Get medical advice.	

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing mediafoam, dry powder, water spray jet, carbon dioxideExtinguishing media that must not
be usedFull water jet.

Marston Domsel GmbH

Date printed 13.07.2018, Revision 13.07.2018

53909 Zülpich



Version 05. Supersedes version: 04

Page 3 / 12

5.2	Special hazards arising from the	e substance or mixture Nitrogen oxides (NOx). Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
5.3	Advice for firefighters	
		Use self-contained breathing apparatus. Wear full protective suit.
		Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release meas	ures
6.1	Personal precautions, protective	e equipment and emergency procedures
		Ensure adequate ventilation. Use personal protective clothing.
6.2	Environmental precautions	
	·	Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contai	inment and cleaning up
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
••••		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Use only in well-ventilated areas. Open and handle container with care.
		Keep away from sources of ignition - refrain from smoking.
		Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Use barrier skin cream. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inc	luding any incompatibilities
		Keep only in original container.
		Do not store together with oxidizing agents. Do not store together with acids.
		Keep container in a well-ventilated place. Keep container tightly closed. Store in a dry place. Recommended storage temperature: <25 °C. Protect from sun.
7.3	Specific end use(s)	
-	,	See product use, SECTION 1.2

Safety Data Sheet 1907/2006/EC - REACH (GB) Composition Provided Composition Composition

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

	Substance		
	Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1		
	Industrial, dermal, Long-term - systemic effects: 4.2 mg/kg bw/d (AF=72).		
	Industrial, inhalative, Long-term - systemic effects: 14.7 mg/m ³ (AF=18).		
	general population, inhalative, Long-term - systemic effects: 8.8 mg/m ³ (AF=30).		
	general population, oral, Long-term - systemic effects: 2.5 mg/kg bw/d (AF=120).		
	general population, dermal, Long-term - systemic effects: 2.5 mg/kg bw/d (AF=120).		
	2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0		
	Industrial, dermal, Long-term - systemic effects: 13.9 mg/kg bw/d (AF=72).		
	Industrial, inhalative, Long-term - systemic effects: 48.5 mg/m ³ (AF=18).		
	general population, oral, Long-term - systemic effects: 8.33 mg/kg bw/d (AF=120).		
	general population, inhalative, Long-term - systemic effects: 14.5 mg/m ³ (AF=69).		
	general population, dermal, Long-term - systemic effects: 8.33 mg/kg bw/d (AF=120).		
PNEC			
	Substance		
	Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1		
	soil, 0.727 mg/kg dw.		
	sediment (seaater), 6.28 mg/kg dw.		
	sediment (freshwater), 6.28 mg/kg dw.		
	sewage treatment plants (STP), 10 mg/L (AF=10).		
	seawater, 0.904 mg/L (AF=50).		
	freshwater, 0.904 mg/L (AF=50).		
	2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0		
	soil, 0.027 mg/kg dw.		
	sediment (seaater), 0.018 mg/kg dw.		
	sediment (freshwater), 0.185 mg/kg dw.		
	sewage treatment plants (STP), 1.7 mg/L (AF=10).		
	seawater, 0.002 mg/L (AF=10 000).		

freshwater, 0.016 mg/L (AF=1000).

Marston Domsel GmbH

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Alkali-resistant protective clothing.
Other	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation on bable physical and	
Form	pasty
Color	blue
Odor	characteristic
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	95
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,0 - 1,1
Bulk density [kg/m³]	not applicable
Solubility in water	partially soluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	15 000 - 25 000 cP (25°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	> 400
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

Safety Data Sheet 1907/2006/EC - REACH (GB) Characteristic constraints of the second structure of the

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

Version 05. Supersedes version: 04 Page

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents and strong acids.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Irritant gases/vapours.

Safety Data Sheet 1907/2006/EC - REACH (GB) Composition Composition of the second structure of the se

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product		
inhalative, Based on the available information, the classification criteria are not fulfilled.:		
dermal, Based on the available information, the classification criteria are not fulfilled.:		
ATE-mix, oral, > 2000 mg/kg bw.		

Substance
Cumene hydroperoxide, CAS: 80-15-9
LD50, oral, Rat: 382 mg/kg (IUCLID).
LC50, inhalative, Rat: 1,37 mg/l/4h (GESTIS).
LC50, inhalative, Rat: 220 ppm/4h (IUCLID).
LDLo, dermal, Rat: 500 mg/kg (IUCLID).
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
LD50, dermal, Rabbit: > 5000 mg/kg.
LD50, oral, Rat: > 2000 mg/kg (OECD 401).
2'-Phenylacetohydrazide, CAS: 114-83-0
ATE, oral, 100 mg/kg.
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0
LD50, oral, Rat: 2000 - 5000 mg/kg bw.
LD50, dermal, mouse: > 2000 mg/kg bw.

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. No classification. Calculation method
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
Specific target organ toxicity — single exposure	Toxicological data of complete product are not available. May cause respiratory irritation. Calculation method
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Safety Data Sheet 1907/2006/EC - REACH (GB) Pohrgewindedichtung 676 - 576 Article number MRG.676.576 **Marston Domsel GmbH**



53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

Version 05. Supersedes version: 04

Page 8 / 12

SECTION 12: Ecological information

12.1 Toxicity

Product		
Based on the available information, the classification criteria are not fulfilled.:		
Substance		
Cumene hydroperoxide, CAS: 80-15-9		
LC50, (48h), Leuciscus idus: 17 mg/l (IUCLID).		
LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l (IUCLID).		
EC50, (24h), Daphnia magna: 7 mg/l (IUCLID).		
EC10, Pseudomonas putida: 103 mg/l/18h (IUCLID).		
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1		
LC50, (48h), Leuciscus idus: 493 mg/l (DIN 38412).		
EC50, (72h), Pseudokirchneriella subcapitata: 97,2 mg/l (OECD 201).		
EC50, (48h), Daphnia magna: 380 mg/l (OECD 202).		
NOEC, (72h), Pseudokirchneriella subcapitata: 97,2 mg/l (OECD 201).		
NOEC, (21d), Daphnia magna: 24,1 mg/l (OECD 202).		
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0		
LC50, (96h), Brachidanio rerio: 16.4 mg/L.		
EC50, (21d), Daphnia magna: 51.9 mg/L.		
EC50, (72h), Pseudokirchneriella subcapitata: > 100 mg/L.		

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not applicable
Biological degradability	not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. 53909 Zülpich

Marston-Domsel

Date printed 13.07.2018, Revision 13.07.2018

Version 05. Supersedes version: 04

Page 9 / 12

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		Dispose of as hazardous waste.
	Waste no. (recommended)	080409*
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling.
		Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110*
SEC	TION 14: Transport information	
14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

53909 Zülpich



Date printed 13.07.2018, Revision 13.07.2018

14.4	Packing group Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	
14.5	Environmental hazards		
	Transport by land according to ADR/RID	no	
	Inland navigation (ADN)	no	
	Marine transport in accordance with IMDG	no	
	Air transport in accordance with IATA	no	
14.6	Special precautions for user		
	Relevant information under SECTION 6	to 8.	
14.7	Transport in bulk according to An	nex II of MARPOL and the IBC Code	
	not applicable		
SEC	SECTION 15: Regulatory information		

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014		
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).		
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).		
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.		
- VOC (2010/75/CE)	0 %		
15.2 Chemical safety assessment			

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet 1907/2006/EC - REACH (GB) Rohrgewindedichtung 676 - 576 Article number MRG.676.576

Marston Domsel GmbH

53909 Zülpich

Date printed 13.07.2018, Revision 13.07.2018



Version 05. Supersedes version: 04

SECTION 16: Other information

SLC	10.	Other	morman

16.1 Hazard statements (SECTION 03)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

- H351 Suspected of causing cancer.
- H341 Suspected of causing genetic defects.
- H318 Causes serious eye damage.
- H302 Harmful if swallowed. H315 Causes skin irritation.
- H301 Toxic if swallowed.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H314 Causes severe skin burns and eye damage.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H302+H312 Harmful if swallowed or in contact with skin.
- H331 Toxic if inhaled.
- H242 Heating may cause a fire.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

- CLP = Classification, Labelling and Packaging
- DMEL = Derived Minimum Effect Level
- DNEL = Derived No Effect Level

EC50 = Median effective concentration

- ECB = European Chemicals Bureau
- EEC = European Economic Community
- EINECS = European Inventory of Existing Commercial Chemical Substances
- ELINCS = European List of Notified Chemical Substances
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying
- Dangerous Chemicals in Bulk
- IC50 = Inhibition concentration, 50%
- IMDG = International Maritime Code for Dangerous Goods
- IUCLID = International Uniform ChemicaL Information Database
- LC50 = Lethal concentration, 50%
- LD50 = Median lethal dose
- LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

```
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
```

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

- TLV®STEL = Threshold limit value short-time exposure limit
- VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure	Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method) Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method) STOT SE 3: H335 May cause respiratory irritation. (Calculation method)
Modified position	none



Date printed 13.07.2018, Revision 13.07.2018

Version 05. Supersedes version: 04

Copyright: Chemiebüro®