



Performance you can trust



## FOODLUBE® OVERHEAD CHAIN Fluid



ISO 21469 Certified

**Non-drip, food grade, multipurpose, chain and conveyor lubricant**

### Product Overview

ROCOL® FOODLUBE OVERHEAD CHAIN Fluid is a non-toxic, water resistant chain lubricant. It is designed primarily for the effective lubrication of chains & conveyors operating above the food line where dripping of the lubricant is not acceptable such as abattoirs and processing plants.

FOODLUBE OVERHEAD CHAIN Fluid is a highly adhesive lubricant with additives to boost performance and improve adhesion. It also offers excellent water wash off resistance and corrosion protection necessary for lubricants used in food, pharmaceutical and other clean environments.

### Features and Benefits

- FOODLUBE OVERHEAD CHAIN Fluid offers an excellent wide temperature resistance of -20°C to +150°C.
- FOODLUBE OVERHEAD CHAIN Fluid exhibits good penetration and load carrying properties ensuring that the product lubricates and protects inside rollers, links, pins etc.
- FOODLUBE OVERHEAD CHAIN Fluid provides a highly adhesive, non-drip, tenacious film with excellent water wash off resistance and corrosion protection.
- FOODLUBE OVERHEAD CHAIN Fluid has excellent oxidation stability resulting in extended relubrication intervals and a reduction in lubricant usage.

### Directions for Storage and Use

- FOODLUBE OVERHEAD CHAIN Fluid can be applied directly to the chain by dipping, brush or oilcan.
- FOODLUBE OVERHEAD CHAIN Fluid is suitable for automatic lubricators and should be used in accordance with the lubricator manufacturers instructions.
- The storage temperature should be controlled between +1°C and +40°C.
- Shelf life is 3 years from date of manufacture.

### Specifications

- FOODLUBE OVERHEAD CHAIN Fluid does not contain: mineral hydrocarbons, animal derived materials, nut oils or genetically modified ingredients.
- FOODLUBE OVERHEAD CHAIN Fluid is manufactured from only FDA listed ingredients:
- FDA Group 21 CFR 178.3570
- FOODLUBE OVERHEAD CHAIN Fluid is NSF registered:
- NSF H1 registered – 123859
- ISO 21469 certified

### Pack Sizes

Pack Size	Part Code
5L	15786
20L	15785

T +44 (0) 113 232 2600  
 F +44 (0) 113 232 2740  
 E customer-service@rocol.com  
 www.rocol.com

ROCOL House, Swillington, Leeds LS26 8BS

Registered Company No. 559693 VAT No. 742 0531 67  
 Registered Office: Admiral House, St Leonard's Road, Windsor, Berkshire SL4 3BL

ROCOL A division of **ITW** Ltd



FM 12448



EMS 67596



OHS 78173





Performance you can trust



## FOODLUBE® OVERHEAD CHAIN Fluid

Non-drip, food grade, multipurpose, chain and conveyor lubricant

Property	Test Method	Result
Appearance	N/A	Pale yellow, almost colourless, liquid
Base Type	N/A	Polyalphaolefin
Additives	N/A	Tackifiers
Base Fluid Viscosity at 40°C	IP71 – ASTM D445	220cSt
Temperature Range Continuous	N/A	-20°C to +150°C
4-Ball Weld Load	IP239 – ASTM D2596	180kg

Values quoted above are typical and do not constitute a specification.

FOODLUBE OVERHEAD CHAIN Fluid is produced at a Halal Control Certified Site (Swillington UK) and is certified as Halal only where the Halal Control Logo is displayed on the product label (certificate registration number C-912-350-05-01/1).

### Safety Data Sheets

Safety data sheets are available for download from our website [www.rocol.com](http://www.rocol.com) or may be obtained from your usual ROCOL contact.

The information in this publication is based on our experience and reports from customers. There are many factors outside our control or knowledge which affect the use and performance of our products, for which reason it is given without responsibility.

Issue: 2 Date: 06-15

T +44 (0) 113 232 2600  
 F +44 (0) 113 232 2740  
 E [customer-service@rocol.com](mailto:customer-service@rocol.com)  
[www.rocol.com](http://www.rocol.com)

ROCOL House, Swillington, Leeds LS26 8BS

Registered Company No. 559693 VAT No. 742 0531 67  
 Registered Office: Admiral House, St Leonard's Road, Windsor, Berkshire SL4 3BL

ROCOL A division of **ITW** Ltd

